Service Level Agreements

Longitude Service Level Agreements (SLAs) allow you to monitor and assess the performance of anything from a single entity to a multi-tiered application or business service. If the IT department has contractual obligations for service levels, Longitude's SLAs can help ensure and document compliance. SLAs are particularly useful for correlating user experience metrics (as measured via Longitude's synthetic web transaction facility) with the underlying infrastructure components that support the associated business service. Service Level Agreements are defined in terms of service availability and performance, answering the questions:

- What percentage of the time was the service available?
- How was the service performing?
- What is the root cause of outages and degradations in performance?

SLA Dashboards and Reports

Longitude's SLA Dashboard provides up to the minute displays of SLA performance, with pinpoint drilldown to investigate shortfalls in compliance. Historical reports are also available. When an SLA indicates an issue, you can make reporting more informative for stakeholders by commenting on extenuating circumstances or documenting the actions taken to resolve the problem. Likewise, you can document changes in IT infrastructure – such as upgrading the CPU or doubling the memory in a web server – and then measure the resulting effects on SLA performance.

	Today	Availability Requirements				Service Availability	Service Availability by Hour	
Resal	RSA	Expected Actual					100 -	
		Consecutive down time	10min	Omin			100 -	\$ \$ \$ \$
		Good	95.0%	79.5%				
		Acceptable	98.0%	91.7%			50 -	
		Degraded		12.2%				
		Unacceptable		8.3%			0.0	anno ann ann ann ann ann ann ann ann ann
		Down		0.0%			0.0	000000
		Maintenanœ/Suspender	i	0.0%				
Web Page	Respo							· •
	Memory							. *
atabase A CPILBI	valladi 🐂							1
	andwidth 📻						<i>a</i>	4
	Q	O		٢	0	Q	Ø	Ģ
Dat	eTime			Message				
👃 Mar	13, 2018 3:00	D PM		Upgraded CPU				

Defining SLAs

SLAs are defined in terms of service conditions, where each condition measures one aspect of the overall application or service being measured by the SLA. For example, an SLA for a multi-tiered application might include service conditions to measure user experience (via a synthetic web transaction), memory, database availability, CPU utilization, and network bandwidth. An outage or degradation in any area would affect the service and thus the state of the SLA, and the SLA dashboard (shown above) will make it easy to determine the

underlying cause. Alternatively, an SLA may consist of only one metric; for example, a "Network Response" SLA might simply measure the response time of a ping request to another server on the network.

Clustered Service Conditions Account for Redundancy

A clustered service condition is a service condition that operates across a group of computers or devices (e.g. disks). For example, a "Server Performance" condition could be measured over 3 computers, where performance is considered acceptable if at least 2 of the computers are operating, even if the third computer is down. This allows SLAs to emulate true business service conditions by taking redundancy into account.

Overall SLA Compliance and State Changes

A Service Level Agreement is the logical aggregation of individual service conditions, and its state reflects the minimum (worst) state of its individual service conditions. If an SLA has five service conditions where three of them are good in a given interval, one is degraded, and one is unacceptable; the SLA is unacceptable in that period of time. Whenever an SLA changes state, Longitude generates an event that can be viewed in real time dashboards and historical reports, and can be used to notify responsible IT staff or even take corrective action.

State	Meaning
Good	Service available and operating as expected. Services are deemed Good only when each metric of the service is deemed Good in the measured time period.
Degraded	Service is available, but is operating at a less than "Good" level of performance.
Unacceptable	Service is available, but is operating at an unacceptable level of performance (i.e., less than "Degraded").
Maintenance	Service is unavailable due to scheduled or requested maintenance.
Down	Service is unavailable when it should be available (i.e., it is not Good, Degraded, or Unacceptable, and there is no scheduled or requested maintenance in effect).
No Data	"No data" means that for some reason the management station is not attempting to collect data for the service.

Service conditions can be in the following states:



165 Bay State Drive Braintree, MA 02184 Telephone: 781-848-1701 info@heroix.com

Features and support may vary by platform. Heroix believes that the information in this document is accurate as of its publication date; such information is subject to change without notice. Heroix is not responsible for any inadvertent errors. Heroix, the Heroix logo, and Heroix Longitude are registered trademarks of Heroix. All other trademarks are property of their respective owners. © 2019 Heroix. All rights reserved.